subconscious.substack.com


Date: 2021-05-27

Author: Gordon Brander

Subtext: markup for note-taking

Subconscious: an internet of ideas.

A distributed hypertext system for note-taking




SELF-ORGANIZING IDEAS

Self-organization requires...



A unit



A mechanism of composition





Today the book is already... an outdated mediation between two different filing systems. For everything that matters is to be found in the card box of the researcher who wrote it, and the scholar studying it assimilates it into his own card index.

Walter Benjamin

Writings 1913-1926



Evolution

Evolution emerges in any system with mutation, heredity, selection.

en.wikipedia.org/wiki/Evolution



Evolution is change in heritable... en.wikipedia.org



"Evolution is the general condition to which all theories, all hypotheses, all systems must bow and which they must satisfy henceforward if they are to be thinkable and true. Evolution is a light which illuminates all facts, a curve that all lines must follow."

Teilhard de Chardin

Teilhard de Chardin

Jesuit priest, scientist, paleontologist, theologian, philosopher and teacher.

Popularized the concept of the Noosphere.

Evolution Evolution emerges in any system with mutation, heredity, selection. en.wikipedia.org/wiki/Evolution Evolution Evolution is change in heritable... en.wikipedia.org "Evolution is the general condition to which all theories, all hypotheses, all systems must bow and which they must satisfy henceforward if they are to be thinkable and true. Evolution is a light which illuminates all facts, a curve that all lines must follow." Teilhard de Chardin Teilhard de Chardin Jesuit priest, scientist, paleontologist, theologian, philosopher and teacher. Popularized the concept of the Noosphere.

Transclude Image

Heading

Text

Text

Text

Text

Transclude



The typical work of modern scholarship is intended to be read like a catalogue. But when shall we actually write books like catalogues? If the deficient content were thus to determine the outward form, an excellent piece of writing would result, in which the value of opinions would be marked without their being thereby put on sale.

The typewriter will alienate the hand of the man of letters from the pen only when the precision of typographic forms has directly entered the conception of his books. One might suppose that new systems with more the variable typefaces would then be needed. They will replace the pliancy of the hand with the innervation of commanding fingers.

A period that, constructed metrically, afterward has its rhythm upset at a single point yields the finest prose sentence imaginable. In this way a ray of light falls through a chink in the wall of the alchemist's cell, to light up gleaming crystals, spheres, and triangles.







Untitled.txt — Edited

One big chunk


The typical work of modern scholarship is intended to be read like a catalogue. But when shall we actually write books like catalogues? If the deficient content were thus to determine the outward form, an excellent piece of writing would result, in which the value of opinions would be marked without their being thereby put on sale.

The typewriter will alienate the hand of the man of letters from the pen only when the precision of typographic forms has directly entered the conception of his books. One might suppose that new systems with more the variable typefaces would then be needed. They will replace the pliancy of the hand with the innervation of commanding fingers.


A period that, constructed metrically, afterward has its rhythm upset at a single point yields the finest prose sentence imaginable. In this way a ray of light falls through a chink in the wall of the alchemist's cell, to light up gleaming crystals, spheres, and triangles.



```
DevTools - www.reddit.com/r/adventuretime/
           Elements
                     Console
                                Sources
                                          Network
                                                    Performance
                                                                  Memory
                                                                            Security
                                                                                        Application Lighthouse
                                                                                                                                                                 3 3
                                                                                                                                                                       101
   ▼ <div id="2x-container">
                                                                                                                                                           Event Listeners >>>
                                                                                                                                Styles
                                                                                                                                       Computed Layout
     ▼ <div class=" 1VP69d9lk-Wk9zok0aylL isNotInIcons2020" style="--background:#FFFFFF;--canvas:#DAE0E6">
        <div tabindex="-1"></div>
                                                                                                                                Filter
                                                                                                                                                            :hov .cls + ◀
      v<div class="hci0r5UGrnYrZxB11tX9s" id="SHORTCUT_FOCUSABLE_DIV" tabindex="-1">
                                                                                                                               element.style {
        ▶ <stvle>...</stvle>
        ▶ <div class="subredditvars-r-adventuretime">...</div>
        ▶ <style>...</style>
                                                                                                                                . 2mHuuvyV9doV3zwbZPtIPG {
                                                                                                                                                                 index.m.less:1
        ▼ <div class="subredditvars-r-adventuretime">
                                                                                                                                  display: inline-block:
          ms flex: 0 0 auto;
                                                                                                                                  flex: ▶ 0 0 auto;
             v<div class="qYj03fU5CXf5t2Fc5iSvq ListingLayout-outerContainer"> flex
               ▶<div class="_33erTQ46yfKeF2B6B-ooMJ ListingLayout-backgroundContainer" style="--pseudo-before-background:#DAE
                                                                                                                                . 2mHuuvvV9doV3zwbZPtIPG {
                                                                                                                                                                 index.m.less:1
               0E6">...</div>
                                                                                                                                  display: inline block:
               ▼<div class=" 3ozFt0e6WpJEMUtxD0IvtU">
                                                                                                                                  ms flex: 0 0 auto;
                 ▶ <div class="q4a8asWOWdfdniAbqNhMh">...</div>
                                                                                                                                  flex: > 0 0 auto:
                   <div style="max-width:100%"></div>
                 v<div style="max-width:100%" class=" 1vyLCp-v-tE5QvZovwrASa"> flex
                                                                                                                                                                     (index):43
                                                                                                                               html, body, div, span, applet,
                   ▼ <div class="_10VBBWLtHoSPfGCRaPzpTf _3nSp9cdBpqL13CqjdMr2L_">
                                                                                                                               object, iframe, h1, h2, h3, h4, h5,
                     ▶ <div class="wBtTDilkW rtT2k5x3eie">...</div> flex
                                                                                                                               h6, p, blockquote, pre, a, abbr, acronym,
                      <div tabindex="0"></div>
                                                                                                                               address, big, button, cite, code, del, dfn, em,
                     ▼ <div class=" 2w46Gjy0K9f8VUpIbu6q1B"> flex
                                                                                                                               img, input, ins, kbd, q, s, samp, small,
                       v<div class="C5WTyRErVZSYP90MmYtVb _2KYStU8hK1Y9Pz3XXd9zFo _2G32Ut0BL64CVk7JruZpIz"> flex
                                                                                                                               strike, strong, sub, sup, tt, var, b, u, i,
                                                                                                                               center, dl, dt, dd, ol, ul, li, fieldset, form,
                        ▶ <button class=" 1NwneinmPwP34LMpJkmKhk">...</button> flex
                                                                                                                               label, legend, table, caption, tbody, tfoot,
                        ▶ <button class=" 2t7CUoLNlBt20iCMaggpTi">...</button> flex
                                                                                                                               thead, tr, th, td, article, aside, canvas,
                        </div>
                                                                                                                               details, embed, figure, figcaption, footer,
                       </div>
                                                                                                                               header, hgroup, menu, nav, output, ruby,
                     ▼<div class="rpBJ0Hq2PR60pnwJlUvP0">
                                                                                                                               section, summary, time, mark, audio, video {
                       ▶ <div>...</div>
                                                                                                                                  margin: ▶ 0;
                       ▼ <div>
                                                                                                                                  padding: ▶ 0:
                        ▼ <div>
                                                                                                                                  border: ▶ 0:
                          v<div class=" 100vIsiPHYt6nx7V0md1sz 3xuFbFM3vrCqdGuKGhhhn0 scrollerItem 30kp11ficAw9I9wtLo8frE 1
                                                                                                                                  font-size: 100%:
                                                                                                                                  font: ▶ inherit;
                          aftvZ02bhaP62lbPioGAh Post t3 nd7ati " id="t3 nd7ati" tabindex="-1">
                                                                                                                                  vertical-align: baseline;
                            ▶ <div class=" 23h0-EcaBUorIHC-JZvh6J" style="width:40px;border-left:4px solid transparent">...</div>
                            ▼ <div class=" 1poyrkZ7q36PawDueRza-J 2uazWzYzM00ndpz5tFu3EX" style="background:#FFFFFF" data-
                                                                                                                               div {
                                                                                                                                                          user agent stylesheet
                            click-id="background">
                                                                                                                                  display: block;
                              ▼<article class="yn9v hQEhjlRNZI0xspbA"> flex
                                ▼<div class="_32pB70DBwG30Sx1u_17g58" data-click-id="body"> flex
                                                                                                                                Inherited from div._3AStxql1mQsrZuUIFP9xS...
                                 ▼ <div class=" 14-YvdFiW5iVvfe5wdgmET"> flex
                                   ▼ <div class="cZPZhMe-UCZ8htPodMvJ5"> flex
                                                                                                                                . 3AStxql1mQsrZuUIFP9xSq {
                                                                                                                                                                    (index):653
                                     ▼<div class=" 3AStxgl1mQsrZuUIFP9xSq nU4Je7n-eSXStTBAPMYt8">
                                                                                                                                  font size: 12px;
                                         <span style="color:#787C7E" class="_2fCzxBE1dlMh40Fc7B3Dun">Posted by</span>
                                                                                                                                  font weight: 400:
                                       ▶ <div class=" 2mHuuvvV9doV3zwbZPtIPG">...</div> == $0
                                                                                                                                  line height: 16px;
                                       ▶ <div class="NAURX0ARMmhJ5eqx0rl0W">...</div> qrid
                                                                                                                                  -ms flex align: center:
                                        <a class=" 3j0xDPIQ0Ka0WpzvSQo-1s" data-click-id="timestamp" href="https://www.reddit.</pre>
                                                                                                                                  align-items: center;
                                         com/r/adventuretime/comments/nd7qti/thread of resources to learn about palestine and/"
                                                                                                                                  color: inherit;
... iVvfe5wdgmET div.cZPZhMe-UCZ8htPodMyJ5 div. 3AStxql1mQsrZuUIFP9xSq.nU4Je7n-eSXStTBAPMYt8 div. 2mHuuvyV9doV3zwbZPtIPG
```



More structural variation = more context needed to determine meaning



```
**bold** vs __bold__
*italic* vs _italic_
[link](http://example.com)
[link][id]
# Heading
## Heading
### Heading
Heading
======
Heading
                                                               = Structural variation
***
                                                                = Text formatting matters
```

[id]: http://example.com "An example"

= Complicated AST


- No official spec, ambiguity.
- Text style = implicit part of format.
- Many syntax variants.
- Many flavors.
- Many heading levels, many list levels.
- HTML escape hatch.

- ✓ Hand-authoring HTML
- Stand-alone structural markup language

- = Structural variation
- = Complicated to spec.
- = Difficult to merge.

Computers People

- Simple for people
- Simple for computers
- Meaningful for both
- Easy to read and write as text




Line-oriented




Flat list of typed blocks

Notes as data: "CSV for thought"

- ✓ Merge docs = concat
- Excerpt = take first text block
- Select all quotes from notes
- ✓ Generate TOC from heading blocks
- Generate link graph from link blocks
- Find all backlinks, append them



Transcludes!



github.com/gordonbrander/subtext subconscious.substack.com

subconscious.substack.com

Date: 2021-05-27

Author: Gordon Brander

Thanks

Prior art

- <u>CSV</u> spiritual inspiration
- Runic initial syntax inspiration
- Gemini another line-oriented hypertext format
- ELF (Nelson, 1965) flat-list hypertext
- Emacs Outline Mode
- Markdown